IN THE CLAIMS

Please amend the claims as follows:

1. (currently amended) An image processing method for extracting a thread-like structure (GW)
represented within on the background in a digital noisy original image (IM1), comprising steps of
acquiring acquisition (1) of the original image data; and steps of:
extracting extraction (2) of pixel strings (A1,A2,) of a same threadlike structure
within the original image data, wherein the phase operation is based on detecting a relative intensity
of pixels in a neighborhood of pixels in the digital noisy original image; and
conducting operation (4,5) of a Phase operation (Intra-Set Phase, Extra-Set Phase)
order to automatically generate yielding one Best String (A) from the pixel strings (INSI,EXSI) for
representing the threadlike structure(GW).
2. (currently amended) An image processing method as set forth claimed in Claim 1, wherein the
step of conducting aPhase (4), called Intra-Set Phase operation includes, comprises the steps of:
-first forming a String Set with the pixel strings;
second and, inside said String Set, forming (43) a set of Candidate Paths (1M4)
linking couples of End-Points of the pixel strings within said string set; and
-selecting (44) one Best Candidate Path as the Best String within in the considered
String Set-(INSI).
3. (currently amended) An image processing method as set forth claimed in Claim 2, wherein the
step of conducting a Intra-Set Phase operation further includes comprises steps of:
generating a set of Candidate Paths from which the best string is selected by
implementing a Front Propagation operation upon between the couples of End-Points of the pixel
strings inside the said considered String Set for providing a set of Candidate Paths among which the
Best String is selected.
4. (currently amended) An image processing method as set forth claimed in Claim 1, wherein the
step of conducting a Phase, called Extra-Set Phase operation includes comprises steps of:

determining adjacent couples of pixel strings having opposite End-points,	
-forming sets of Connection Paths (IM6), outside the pixel strings,	
linking the opposite End Points of said adjacent couples,	
-selecting respective Best Connection Paths for linking the couples of pixel strings,	
andforming one Best String from the linked pixel strings (EXSI).	
5. (currently amended) An image processing method as set forth claimed in ClaimClaims 4, wherein	
the step of conducting a Extra-Set Phase operation further includes comprises steps of:	١
generating sets of connection paths using a Front Propagation operation, which front	١
propagation operation operates upon between the couples of opposite End-Points of the pixel strings,	
outside the pixel strings, and utilizing for providing the sets of Connection Paths to select among which the Best	
Connection Paths are selected.	
6. (currently amended) An image processing method as set forth elaimed in Claim 1-one of Claims 1	
5 Symbol comprising steps of	
extracting extraction (2) of elementary pixel strings $(A1,A2,)$ associated in string sets	
(SA) deriving from -each of a the same threadlike structure (IM2);	
conducting a operation (4) of a First Phase (Intra-Set Phase) operation which	
automatically generates one Best String (A) per string set, wherein said Best String represents	
(INSI) for representing the threadlike structure (GW).	

7. (currently amended) An image processing method as set forth elaimed in Claim 6, further comprising the stepsteps of:

conducting operation (5) of a Second Phase operation by linking Best Strings to automatically generate yielding one Final Best String, which final best string represents (FBS) by linking Best Strings (EXSI), for representing the threadlike structure (GW).

8. (currently amended) An image processing method as set forth in Claim 6 claimed in one of Claims
6 or 7, wherein the step of conducting the First Phase(Intra-Set Phase operation includes the steps of:
comprises the steps of : first forming, inside a considered string set, formation of
couples of End-Points of elementary strings,
second forming set of Candidate Paths (IM4) linking said couples of End-Points, and
-selectingselection (44) of one Best Candidate Path as the Best String (INSI).
9. (currently amended) An image processing method as set forth claimed in Claim 8, wherein the
step of conducting the First Phase (Intra-Set Phase) operation further includes the stepcomprises
steps-of-:
conducting a Front Propagation operation between the couples of End-Points of the
elementary strings inside a considered String Set in order to generate for providing a set of
Candidate Paths from among which the Best String is selected.
10. (currently amended) An image processing method as set forth claimed in claim one of Claims 6
to 9, wherein the step of conducting the Second Phase (Extra-Set Phase) operation further includes
the steps of comprises:
first forming couples of Best Strings outside each string set by using, formation of
couples of Best Strings and of couples of opposite End-Points of said couples,
second forming formation of sets of Connection Paths (IM6) linking said opposite
End Points, and
selecting selection of one Best Connection Path for linking each couple of Best
Strings and of one Final Best String among the Best Strings connected by the Connection Paths
(EXSI) .
11. (currently amended) An image processing method as set forth in Claim 10 claimed in Claims 10,
wherein the step of conducting comprising in the Second Phase (Extra-Set Phase) includes the
further steps of:

conducting a Front Propagation operation between said opposite couples of End-
Points of the Best Strings outside the String Sets in order to generate for providing the sets of
Connection Paths, from which the among which the Best Connection Paths are selected.

12. (currently amended) An image processing method as set forth in Claim 6 claimed in one of Claims 6 to 11, wherein the step of conducting a first phase operation includes that comprising, prior preliminary to the implementing the first phase operation Phase that is first carried out, a step of calculating a ridgeness calculation to form, forming (3) a ridgeness data image (IM3), where including ridge pixels showing show an intensity gradient that is maximum in a first determined direction in its neighborhood, and showing show a lower intensity gradient in a direction perpendicular to said first direction, such that so as the greater the number of pixels that verify themore an image structure is formed of pixels verifying this gradient property are found in the formed image structure, the higher more the ridgeness measure of the image structure is high.

13. (currently amended) An image processing method as set forth elaimed in Claim 12, further
comprising the steps of comprising:
first generating First Potential Image (IP1) from the ridgeness data image, where the
potentials of the pixels derived from belonging to the considered string set are set to first values,
which first values are lower than a given predetermined value, the potentials of pixels of the other
string sets are set to second values, which second values are higher than said predetermined value,
and the pixels located outside the string sets are attributed potentials whose values are function of
their ridgeness data values,
second generating a Front Propagation operation (43) for propagating on the lower
potentials in the First Potential Image (IP1), and
forming the Candidate Paths (IM4) between couples (41) of End-Points of the
elementary strings.

14. (currently amended) An image processing method as set forth in Claim 6 claimed in one of Claims 6 to 13, further the comprising steps of:

determining the determination (51) of the opposite End-Points of couples of Best
Strings,
formingthe formation (52) of a Second Potential Image (IP2) from the Best String
image (INSI), wherein where all the string pixels are attributed higher potentials, which are higher
than a given predetermined potential value, and the other pixels are attributed lower potentials,
which are lower than thea given predetermined potential value,
conducting a Front Propagation operation for (53) propagating on the lower potentials
in the Second Potential Image, (IP2) and
forming the Connection Paths (IM6) between couples (51) of opposite End-Points of
the couples of Best Strings.
15. (currently amended) An image processing method as set forth elaimed in Claim 6 one of Claim 6
to 14, wherein the selection operation of the Intra-set and Extra-Set Phases are conducted in
accordance with operated using criterions based on the height of ridgeness of the structures of the
Paths.
16. (currently amended) A system comprising a suitably programmed computer or a special purpose
processor having circuit means, which circuit means are arranged to process image data according to
the method set forth in claim las claimed in any one of the preceding Claims.
17. (currently amended) An examination apparatus comprising:
having means for acquiring medical digital image data, and
having a system having access to said medical digital image data for carrying out a
processing method as set forth in Claim 1 according to one of Claims 1 to 15, and
having-display means for displaying the medical digital images and the processed
medical digital images.
18. (currently amended) A computer program product comprising a computer-readable medium, said
product comprising a set of instructions for carrying out a method as set forth in claim 1 claim 1 claim 1
one of Claims 1 to 15.